

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.		FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/720,948		11/24/2003	Paul R. Gagnon	03-482	5271
34704	7590	03/03/2006		EXAMINER	
BACHMAN & LAPOINTE, P.C.				ARYANPOUR, MITRA	
900 CHAPEL STREET					5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 -
SUITE 1201				ART UNIT	PAPER NUMBER
NEW HAVEN, CT 06510				3711	

DATE MAILED: 03/03/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Application/Control Number: 10/720,948

Art Unit: 3711

**DETAILED ACTION** 

The Reply Brief filed <u>09 February 2006</u> has been entered and considered. The application

has been forwarded to the Board of Patent Appeals and Interferences for decision on the appeal.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Mitra Aryanpour whose telephone number is 571-272-4405. The

examiner can normally be reached on Monday - Friday 10:00 to 6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Gene Kim can be reached on 571-272-4463. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

21 February 2006

MITRA ARYANPOUR
PRIMARY EXAMINER

Page 2